

CUMULATIVE INDEX 1994

Volume 12

January	USE OF THE LABORATORY IN DERMATOLOGY, pages 1-212
April	CUTANEOUS LYMPHOMAS, pages 213-460
July	OCCUPATIONAL DERMATOSES, pages 461-610
October	CONTEMPORARY TROPICAL DERMATOLOGY, pages 611-840

Note: Page numbers for complete issues and articles are in **boldface** type.

- Achromic nevus, vs. leprosy, in tropics, 639
- Acne, occupational, airborne agents and, 501-502
cutting fluids and, 539-540
- Acquired immune deficiency syndrome. See *AIDS*.
- Acrodermatitis chronica atrophicans, in Lyme borreliosis, in tropics, 674-675
- Acrylics, and allergic contact dermatitis, in dental profession. See *Dental profession*.
- Actinic dermatitis, in tropics, 800
- Actinic prurigo, in tropics, 798
- Acute disseminated miliary tuberculosis, in tropics, 647
- Acute febrile neutrophilic dermatosis, clinical features of, 423
- Acute granulocytic leukemia, clinical features of, 420, 424, 425, 426
- Acute irritant contact dermatitis, occupational, clinical features of, 461-462
- Acute myelogenous leukemia, clinical features of, 420, 422, 424, 429
- Acyclovir, for cutaneous lymphomas, 438
for genital herpesvirus infections, in tropics, 763
- Adenoviruses, laboratory diagnosis of, 79
- Adult T-cell leukemia/lymphoma, clinical features of, 421, 425
- Africa, eastern. See *Eastern Africa*.
psoriasis in, 811-812
- African histoplasmosis, clinical features of, 697-698
- AIDS*, in Eastern Africa, 624
in tropics, 747-752
clinical features of, 748-749
histopathology of, 749-750
laboratory diagnosis of, 749-750
transmission of, 747-748
treatment of, 750-751
- Kaposi's sarcoma in. See *Kaposi's sarcoma*.
- Ainhum, in tropics, 787
- Airborne occupational dermatoses, 501-509
acne, 501-502
contact dermatitis, 502-508
allergens in, 505
differential diagnosis of, 502-503
examples of, 503-504
investigation of, 505, 508
localization and symptoms of, 502
prevention of, 504-505
- Albinism, in tropics, 791-792
laboratory diagnosis of, 94
- Aleukemic leukemia, clinical features of, 422
- Alkali burns, industrial, 473
- Allergic contact dermatitis, cytokines in, 287-288, 289
in children, laboratory diagnosis of, 112
in dental profession. See *Dental profession*.
in pharmaceutical industry, 534-535
- Allergic dermatitis, occupational, cutting fluids and, 541-542
- Alpha-1-antitrypsin, in laboratory diagnosis, 191-192
- Aluminum, and allergic contact dermatitis, in dental profession, 526
- Amebiasis, in tropics, genital manifestations of, 743
- American mucocutaneous leishmaniasis, in tropics, 703-712
clinical features of, 703, 705
diagnosis of, 706
differential diagnosis of, 706-707
epidemiology of, 704-705
etiology of, 704
immunology of, 705-706
pathology of, 703
prevention of, 707-708
treatment of, 707-708
- Amphotericin B, for American mucocutaneous leishmaniasis, in tropics, 707
- Amyloid, laboratory diagnosis of, electron microscopy in, 143
- Amyloidosis, of nerves, vs. leprosy, in tropics, 641
- Anderson-Fabry disease, laboratory diagnosis of, 96
- Anesthesia, in laboratory diagnosis, of leishmaniasis, 39
- Anesthetics, and allergic contact dermatitis, in dental profession, 527
local. See *Local anesthetics*.
- Anetoderma, vs. granulomatous slack skin, 387
- Angioedema, C1 esterase inhibitor and, 193-194
- Angiomatosis, bacillary, laboratory diagnosis of, 30, 31
- Angiotensin converting enzyme, in laboratory diagnosis, 192-193
- Angola, psoriasis in, 812
- Antibiotics, for Lyme borreliosis, in tropics, 679-680
- Antibodies, monoclonal. See *Monoclonal antibodies*.

- Antibody capture, in laboratory diagnosis, of rubella, 72-73
- Antigen capture enzyme immunoassay, in laboratory diagnosis, of rubella, 71
- Antigen detection, in laboratory diagnosis, of HIV infection, 79
- Antimalarial drugs, for lupus erythematosus, 203
- Antimicrobials, and allergic contact dermatitis, in dental profession, 528
- for industrial thermal burns, 470
- Antineutrophil cytoplasmic antibodies, in laboratory diagnosis, of connective tissue diseases, 169-170
- Antinuclear antibodies, in laboratory diagnosis, of connective tissue diseases. See *Connective tissue diseases*.
- Antiphospholipid antibodies, in laboratory diagnosis, of connective tissue diseases, 161-162
- with lupus erythematosus, 204-205
- Arc burns, industrial, 471
- Arms, elephantiasis of, in tropics, 723
- Arterial disease, laboratory diagnosis of, 175-180
- ankle pressure in, 179
- continuous wave Doppler ultrasonography in, 175-177
- digital plethysmography in, 180
- Doppler waveform analysis and pulsed volume recording in, 179-180
- duplex ultrasonography in, 177
- plethysmography in, 177
- segmental pressures in, 179
- Arthritis, in Lyme borreliosis, in tropics, 676
- Ashy dermatosis, in tropics, 777-778
- Asia, psoriasis in, 813-814
- Asphalt burns, industrial, 473-474
- Aspirin, avoidance of, in hemostasis, 601
- Ataxia-telangiectasia, laboratory diagnosis of, 93
- in children, 113-114
- Athlete's foot, in tropics, 690
- Atopic dermatitis, in children, laboratory diagnosis of, 109-110
- in Eastern Africa, 621
- Atopic individuals, patch testing of, for occupational dermatoses, 491-499
- Australia, psoriasis in, 814
- Autologous bone marrow transplantation, for cutaneous lymphomas, 438-439
- Avidin-biotin method, in laboratory diagnosis, of herpesviruses, 59
- Azathioprine, for lupus erythematosus, 203-204
- Bacillary angiomatosis, laboratory diagnosis of, 30, 31
- Bacillary peliosis hepatis, laboratory diagnosis of, 30
- Bacterial infections, in children, laboratory diagnosis of, 110
- Barrier creams, to prevent occupational irritant dermatitis, 465-466
- to prevent poison ivy and oak dermatitis, 514
- Bartonella*. See *Rickettsial diseases*.
- Bartonellosis, laboratory diagnosis of, 31-32
- Basal cell carcinoma, in Eastern Africa, 622
- Benign cephalic histiocytosis, laboratory diagnosis of, electron microscopy in, 157
- Benzocaine, and allergic contact dermatitis, in dental profession, 527
- Benzoyl peroxide, and allergic contact dermatitis, in dental profession, 525
- Bilharziasis cutanea tarda, in cutaneous schistosomiasis, in tropics, 715-716
- Bilharzides, in cutaneous schistosomiasis, in tropics, 714-715
- Biobrane, for industrial thermal burns, 470
- Biopsy, of mycosis fungoides, 315
- of occupational chloracne, 571
- skin. See *Skin biopsy*.
- Biotin metabolism, disorders of, in children, laboratory diagnosis of, 117-119
- Bisphenol A/epichlorohydrin, and allergic contact dermatitis, in dental profession, 525
- Blastomycosis, keloidal, in tropics, 698-699
- Blepharochalasis, vs. granulomatous slack skin, 387
- Blood pressure, assessment of, before major surgery, 601-602
- Blood transfusions, and AIDS, in tropics, 750
- and Lyme borreliosis, in tropics, 677
- Bloom syndrome, laboratory diagnosis of, 93-94
- Bolivia, psoriasis in, 810
- Bone marrow transplantation, for cutaneous lymphomas, 438-439
- Borderline borderline leprosy, in tropics, 633, 637
- Borderline lepromatous leprosy, in tropics, 633, 637
- Borderline tuberculoid leprosy, in tropics, 632-633, 637
- Borrelia burgdorferi*. See *Lyme borreliosis*.
- Borreliosis. See *Lyme borreliosis*.
- Botflies, in myiasis, in tropics, 732-733
- Boutonneuse fever, laboratory diagnosis of, 27
- Brazil, psoriasis in, 810-811
- Brazilian pemphigus foliaceus. See *Fogo selvagem*.
- Breasts, elephantiasis of, in tropics, 723
- Brucellosis, in Eastern Africa, 625
- Bullous congenital ichthyosiform erythroderma, laboratory diagnosis of, 101
- Bullous diseases, laboratory diagnosis of, immunofluorescence in, 133-142
- bullous pemphigoid and epidermolysis bullosa acquisita, 134-136
- cicatricial pemphigoid, 136
- direct, 134
- indirect, 134
- intraepidermal IgA neutrophilic dermatosis, 136, 138
- lichen planus pemphigoides, 139-140
- linear IgA bullous dermatosis, 139
- lupus erythematosus, 140-141
- paraneoplastic pemphigoid, 138
- Burns, industrial, 469-475
- alkali, 473
- cement, 473
- chemical, 472-473
- electrical, 471-472
- hydrofluoric acid, 473
- molten metal, 470-471
- phosphorus, 473
- prevention of, 474
- tar/asphalt, 473-474
- thermal, 469-470
- Burrow ink test, in laboratory diagnosis, of scabies, in children, 111
- Buruli ulcer, in tropics, 663
- vs. cutaneous tuberculosis, 651
- C1 esterase inhibitor, in laboratory diagnosis, 193-194
- Calymmatobacterium granulomatis*, in donovanosis, in tropics, 759-760
- in granuloma inguinale, 3-5
- Camphoroquinone, and allergic contact dermatitis, in dental profession, 525

- Cancer, occupational, cutting fluids and, 538
of skin, in Eastern Africa, 622
- Carcinoid syndrome, 5-hydroxyindoleacetic acid and, 196
- Cardiac abnormalities, in Lyme borreliosis, in tropics, 676
- Caribbean Islands, psoriasis in, 807, 810
- Carmustine, for cutaneous lymphomas, 433-434
- Carrión's disease, laboratory diagnosis of, 31
- Cellulose, oxidized, in hemostasis, 604
- Cement burns, industrial, 473
- Central America, psoriasis in, 807
- Central nervous system syphilis, laboratory diagnosis of, 11, 15
- Chanarin-Dorfman syndrome, laboratory diagnosis of, 103-104
- Chancroid, in tropics, clinical features of, 754-755
treatment of, 762
laboratory diagnosis of, 1-3
- Chediak-Higashi syndrome, laboratory diagnosis of, 94
- Chemical burns, industrial, 472-473
- Chemokines, in lymphoproliferative skin infiltrates, 284
- Chemotherapy, for AIDS-related Kaposi's sarcoma, 453-454
for cutaneous lymphomas, 433-434, 435, 436-437, 438
for leukemia cutis, 427-429
- CHILD syndrome, laboratory diagnosis of, 102
- Chlamydia, in tropics, 741-742
- Chlamydia trachomatis*, in lymphogranuloma venereum, 5-6
- Chloracne, occupational, 569-576
biopsy of, 571
chemicals causing, 571-572
clinical signs of, 569
mechanism of, 574-575
pentachlorophenol in, 572-573
treatment of, 572
- Chondrodysplasia punctata, laboratory diagnosis of, 102
- Chorionic villus sampling, in laboratory diagnosis, of chronic granulomatous disease, in children, 116
- Chromomycosis, in tropics, 696-697
vs. cutaneous tuberculosis, 651-652
- Chronic granulocytic leukemia, clinical features of, 420, 422, 424, 426, 429
- Chronic granulomatous disease, in children, laboratory diagnosis of, 115-116
- Chronic lymphocytic leukemia, clinical features of, 420-422, 424-425, 426, 427, 429
- Chronic myelomonocytic leukemia, clinical features of, 422, 426
- Cicatricial pemphigoid, laboratory diagnosis of, immunofluorescence in, 136
- Circumcision, female, in Eastern Africa, 626
- Collodion baby, laboratory diagnosis of, 101
- Colombia, psoriasis in, 810
- Colony-stimulating factors, in lymphoproliferative skin infiltrates, 285-286
- Complement fixation test, in laboratory diagnosis, of cytomegalovirus, 75-76
of herpesviruses, 61
of rubeola, 69
- Congenital erythropoietic porphyria, laboratory diagnosis of, 94-95
- Congenital heart disease, with lupus erythematosus, laboratory diagnosis of, 167
- Connective tissue diseases, laboratory diagnosis of, 161-173
antineutrophil cytoplasmic antibodies in, 169-170
antinuclear antibodies in, 162-168
in scleroderma, 167-168
to native DNA, 163, 165
to Ro and La, 165-167
to small nuclear ribonuclear proteins, 165
antiphospholipid antibodies in, 161-162
electron microscopy in. See *Electron microscopy*.
myositis-specific autoantibodies in, 168-169
- Contact dermatitis, occupational, 477-484
airborne agents and. See *Airborne occupational dermatoses*.
allergens in, classification of, 481-482
clinical examination for, 478
clinical history of, 477
cutting fluids and, 540-541
guinea pig sensitization tests for, 480-482
human repeat insult patch test for, 480-481
mouse ear swelling test for, 481
murine local lymph node assay for, 481
patch tests for, 479-480
provocative use test for, 480
quantitative structure activity relationship in, 481
repeated open application test for, 480
time relationship in, 477-478
workplace visit by physician for, 478-479
- Contact urticaria, in dental profession, 529-530
in pharmaceutical industry, 535
- Copper, and allergic contact dermatitis, in dental profession, 526
- Corticosteroids, for fogo selvagem, in tropics, 774
for lupus erythematosus, 202-203
- Cotton swabs, in hemostasis, 602-603
- Coxiella burnetii*. See *Rickettsial diseases*.
- Coxsackie A16 virus, in children, laboratory diagnosis of, 111
- cRNA-single-stranded conformational polymorphisms, to detect monoclonal lymphoid cell populations, 346-347
- Cryotherapy, for AIDS-related Kaposi's sarcoma, 452
- Cumulative irritant dermatitis, occupational, clinical features of, 462
- Curettage, definition of, 83-84
- Cutaneous B-cell lymphomas, classification of, 214-215
dendritic cells in. See *Dendritic cells*.
diagnosis of, monoclonal antibodies in, 223-225
semimalignant. See *Semimalignant cutaneous B-cell lymphomas*.
- Cutaneous larva migrans, in Eastern Africa, 622
- Cutaneous lymphocytic infiltrates, dendritic cells in. See *Dendritic cells*.
- Cutaneous lymphomas, classification of, 213-217
B-cell, 214-215
staging, 215
T-cell, 213-214
cytokines in. See *Cytokines*.
diagnosis of, monoclonal antibodies in. See *Monoclonal antibodies*.
mantle-cell. See *Mantle-cell lymphomas*.
treatment of, 433-441
stage-adapted, 433-439
stage Ia to IIa, 433-435, 439
stage IIb, 435-437, 439
stage III/Sézary syndrome, 437-438, 439
stage IVa and IVb, 438-439
- Cutaneous schistosomiasis, in tropics, 713-717
bilharziasis cutanea tarda, 715-716
bilharzides or schistosomides, 714-715
dermatitis schistosomica, 714
epidemiology of, 713
lesions related to complications, 716
pathology of, 713-714
treatment of, 716-717

- Cutaneous T-cell lymphomas, classification of, 213-214
- clonal disease in, 351-360
 - immunohistochemistry of, 352, 354
 - molecular biology of, 354-355
 - significance of, 355-358
 - in inflammatory skin diseases, 358
 - in mycosis fungoides and Sézary syndrome, 356-358
 - in pleomorphic T-cell lymphomas, 356
 - in skin diseases, 358
 - cytogenetic findings in, 295-304
 - cell culture, phenotyping, and karyotyping in, 296
 - genotraumatic T-cell clones in, 297-301
 - results of, 296-297
 - cytokines in, 289-291
 - delta chain-positive. *See Delta chain-positive cutaneous T-cell lymphomas.*
 - dendritic cells in. *See Dendritic cells.*
 - diagnosis of, molecular biology in. *See Molecular biology.*
 - monoclonal antibodies in, 220-223
 - differential diagnosis of, 321
 - early diagnosis of, 315-322
 - biopsy in, 315
 - controversies in, 329-334
 - activation- and proliferation-associated antigens, 333
 - composition of cellular infiltrates, 329
 - majority T-cell antigen, 332-333
 - pan-T-cell antigens and T-helper and -suppressor molecules, 329-330, 332
 - T-cell antigen receptor, 332
 - tumor-cell-associated antigens, 333
 - electron microscopy in, 317
 - histologic, 315-317
 - immunohistochemistry in, 317
 - inter- and intrarater reliability of, 323-327
 - materials and methods for, 323-324
 - results of, 324-325
 - molecular biology in, 317
 - mycosis fungoides, 315-319
 - pagetoid reticulosis, 319, 321
 - Sézary syndrome, 319
 - T-cell receptor gene rearrangement analysis in, 335-340
- evaluation of, inter- and intrarater variabilities in, 311-314
 - materials and methods for, 311
 - results of, 312
- laboratory diagnosis of, electron microscopy in, 149
- monoclonal lymphoid cell populations in. *See Monoclonal lymphoid cell populations.*
- photoactivated lymphocyte therapy for. *See Photoactivated lymphocyte therapy.*
- retroviruses and. *See Retroviruses.*
- thymus bypass model for, 305-310
 - definition of, 307
- Cutaneous tuberculosis, in tropics, 645-655
 - clinical features of, 646-648
 - acute disseminated miliary tuberculosis, 647
 - hypertrophic form, 648
 - lupus vulgaris, 647
 - plaque form, 647-648
 - scrofuloderma, 648
 - tuberculosis cutis orificialis, 648
 - tuberculosis verrucosa cutis, 648
 - tuberculous chancre, 647
 - ulcerative form, 648
 - vegetative form, 648
 - diagnosis of, 648-650
 - etiopathogenesis of, 645-646
 - treatment of, 652
 - vs. atypical mycobacteriosis, 650
 - vs. chromomycosis, 651-652
 - vs. disseminated mycobacteriosis, 651
 - vs. inoculation mycobacteriosis, 650-651
 - vs. nontuberculous scrofuloderma, 651
 - vs. sarcoidosis, 652
 - vs. sporotrichosis, 651
 - vs. tuberculoid leprosy, 651
- Cutis laxa, vs. granulomatous slack skin, 385-387
- Cutis laxa elastofibrils, laboratory diagnosis of, electron microscopy in, 144
- Cutting fluids, and occupational dermatoses, 537-546
 - allergic dermatitis, 541-542
 - clinical patterns in, 542-544
 - chronic lichenified and fissured palmar eczema, 543-544
 - discoid eczema on forearms and hands, 544
 - erythematous papules on forearms and hands, 542-543
 - papulovesicles on hands and fingers, 543
 - contact dermatitis, 540-541
 - disorders of pigmentation, 538
 - folliculitis and oil acne, 539-540
 - granulomas, 539
 - irritant dermatitis, 541
 - keratoses and cancer, 538
 - mechanical injuries, 538-539
 - types of cutting fluids, 537-538
 - uses of cutting fluids, 537
- Cyclosporin A, for cutaneous lymphomas, 438
- Cystic fibrosis, in children, laboratory diagnosis of, 119
- Cytogenetics, of mantle-cell lymphomas, 414
- Cytokines, in lymphoproliferative skin infiltrates, 283-294
 - definition of, 283-286
 - chemokines, 284
 - colony-stimulating factors, 285-286
 - growth factors, 286
 - interferons, 286
 - lymphocyte-stimulating factors, 284-285
 - multifunctional nonspecific mediators, 283-284
 - evidence for, 287
 - histologic features of, 287-288
 - in cutaneous T-cell lymphomas, 289-291
 - pathophysiologic relevance of, 288-289
 - production of, by epidermal cells, 286-287
 - therapeutic, 291-292
- Cytomegalovirus, laboratory diagnosis of, 75-77
- Dactyololysis, in tropics, 787
- Dapsone, for lupus erythematosus, 204
- Darier's disease, in tropics, 795
- Darkfield examination, in laboratory diagnosis, of syphilis, 12
- DDT, and occupational chloracne, 571
- Deep fungal infections, in tropics, 695-700
 - African histoplasmosis, 697-698
 - chromomycosis, 696-697
 - keloidal blastomycosis, 698-699
 - mycetoma, 695-696
- Delta chain-positive cutaneous T-cell lymphomas, 391-397
 - case reports of, 391-395
 - clinical and histologic features in, 391-394
 - immunophenotypic and genotypic features in, 394-395

- Denaturing gradient gel electrophoresis, to detect monoclonal lymphoid cell populations, 346
- Dendritic cells, in cutaneous B- and T-cell lymphomas, 255-270
 anatomy, physiology, and distribution of, 255-256
 B-cell lymphomas, 260-266
 in normal and neoplastic tissue, 260-263
 importance of, 256-257
 T-cell lymphomas, 257-260
- in cutaneous lymphocytic infiltrates, 271-282
 and immunosurveillance, 271-273
 Langerhans cells in, 272
 as antigen-presenting cells, 274-275
 benign, 275-276
 characteristics of, 273-274
 malignant, 276-280
- Dental amalgam, and allergic contact dermatitis, 526
- Dental composite resins, and allergic contact dermatitis, 520-521
- Dental profession, occupational dermatoses in, 517-532
 allergic contact dermatitis, 517, 520-529
 acrylic resin polymerization activators and inhibitors in, 525
 acrylics in, 517, 520-524
 active sensitization by, 523
 for dental composite resins, 520-521
 for dentin bonding compounds, 521-522
 for prostheses, 520
 glove penetration by, 522-523
 immediate hypersensitivity to, 524
 patch testing for, 523-524
 patient risk of, 523
 purity of, 523
 replacement of, 523
 antimicrobials in, 528
 epoxy resin compounds in, 524-525
 fragrances in, 527-528
 Impregnum and Scutan in, 528-529
 local anesthetics in, 527
 metals in, 525-527
 resin carriers in, 528
 UV absorbers in, 528
 contact urticaria, 529-530
 screening series for, 530
- Dentin bonding compounds, and allergic contact dermatitis, 521-522
- 2'Deoxycoformicin, for cutaneous lymphomas, 438
- Dermatitis, actinic, in tropics, 800
 atopic, in Eastern Africa, 621
 contact. *See Contact dermatitis.*
 in children, laboratory diagnosis of, allergic contact, 112
 atopic, 109-110
 nummular, 111-112
 seborrheic, 112
 irritant. *See Irritant dermatitis.*
 laboratory diagnosis of, with lupus erythematosus, 167
 WHO plan for, in tropics, 627-618
- Dermatitis schistosomica, in cutaneous schistosomiasis, in tropics, 714
- Dermatophyte infections. *See Superficial fungal infections.*
- Dermatophytes, in children, laboratory diagnosis of, 111
- Dermatophytosis, in Eastern Africa, 625
- Dermatosis, acute febrile neutrophilic, clinical features of, 423
- N,N-Dimethyl-4-toluidine, and allergic contact dermatitis, in dental profession, 525
- Discoid lupus erythematosus, vs. leprosy, in tropics, 640
- DNA probes, in laboratory diagnosis, of leishmaniasis, 46-47
- Donovanosis, in tropics, clinical features of, 759-760
 treatment of, 763
 laboratory diagnosis of, 3-5
- Drug-induced cutaneous eruptions, in leukemia, 424
- Ear piercing, in Eastern Africa, 626
- Eastern Africa, dermatologic diseases in, 621-628
 AIDS, 624
 atopic dermatitis, 621
 brucellosis, 625
 common superficial mycotic infections, 625
 HIV infection, 624
 leprosy, 626
 measles, 624
 parasitic diseases, 622-623
 rhinoscleroma, 621-622
 scabies, 621
 self-inflicted or ritualistic injuries, 626
 skin cancer, 622
 tuberculosis, 624
 yaws, 625-626
- Eczema, photosensitive, in chronic actinic dermatitis, in tropics, 800
 recalcitrant. *See Recalcitrant eczema.*
- Ehlers-Danlos syndrome, laboratory diagnosis of, 96
- Ehrlichia. *See Rickettsial diseases.*
- Ehrlichiosis, laboratory diagnosis of, 29-30, 31
- Elastic fiber abnormalities, laboratory diagnosis of, electron microscopy in, 143-144, 149
- Elastolysis with wrinkling, laboratory diagnosis of, electron microscopy in, 144
- Elastosis perforans serpiginosa, laboratory diagnosis of, electron microscopy in, 144, 149
- Electrical burns, industrial, 471-472
- Electrocoagulation, in hemostasis, 602
- Electron microscopy, in laboratory diagnosis, 143-159
 of connective tissue diseases, 143-149
 amyloid, 143
 elastic fiber abnormalities, 143-144, 149
 of harlequin ichthyosis, 157-158
 of herpesviruses, 56
 of histiocytosis X, in children, 113
 of lymphohistiocytic disorders, 149, 153-157
 benign cephalic histiocytosis, 157
 cutaneous T-cell lymphoma, 149
 Langerhans cell histiocytosis, 149, 153, 157
 of mycosis fungoides, 317
- Elephantiasis. *See Filariasis.*
- Elliptic excision, definition of, 84
- Endocrine disorders, with eczema, in children, laboratory diagnosis of, 117-119
- Enteroviruses, laboratory diagnosis of, 79
- Enzyme immunoassay, in laboratory diagnosis, of cytomegalovirus, 76
 of Epstein-Barr virus, 77
 of erythema infectiosum, 75
 of HIV infection, 78
 of roseola, 74
 of rubella, 72
- Enzyme-linked immunosorbent assay, in laboratory diagnosis, of Lyme borreliosis, 21
 of rubella, 70-71
- Epidemic typhus, laboratory diagnosis of, 28
- Epidermolysis bullosa, in tropics, 794-795
 laboratory diagnosis of, 123-132
 acquired, 129-130
 immunoelectron microscopy in, 129
 immunoprecipitation and immunoblot in, 129-130

- Epidermolysis bullosa (*Continued*)
 indirect immunofluorescence in, 129
 inherited, 123-129
 immunofluorescence antigenic mapping in, 126-127
 monoclonal antibody studies in, 127-128
 prenatal, 128
 transmission electron microscopy in, 123-126
- Epidermolysis bullosa acquisita, laboratory diagnosis of, immunofluorescence in, 134-136
- Epidermolytic hyperkeratosis, laboratory diagnosis of, 101
- Epididymitis, gonorrhea and, in tropics, 741
- Epoxy acrylates, and allergic contact dermatitis, in dental profession, 520-521
- Epoxy resin compounds, and allergic contact dermatitis, in dental profession, 524-525
- Epstein-Barr virus, laboratory diagnosis of, 77
 monoclonal antibodies in, 226-227
- Eruption of lymphocyte recovery, in leukemia, 424
- Erythema chronicum migrans, in Lyme borreliosis, in tropics, 673
- Erythema infectiosum, laboratory diagnosis of, 74-75
- Erythropoietic protoporphyria, laboratory diagnosis of, 95
- N-Ethyl-4-toluene sulfonamide, and allergic contact dermatitis, in dental profession, 528
- Eugenol, and allergic contact dermatitis, in dental profession, 527-528
- Exanthem subitum, laboratory diagnosis of, 73-74
- Excited skin syndrome, in patch tests, for occupational contact dermatitis, 480
- Extracorporeal photochemotherapy, for cutaneous lymphomas, 435, 437, 438
- Extracorporeal photopheresis, for cutaneous lymphomas, 436
- Eyes, changes in, in lupus erythematosus, 203
 in Lyme borreliosis, in tropics, 676-677
 industrial alkali burns of, 473
- Fabry disease, laboratory diagnosis of, 96
- Fatty alcohol:NAD⁺ oxidoreductase, deficiency of, in Sjögren-Larsson syndrome, 104
- Favus, in tropics, 688
- Female circumcision, in Eastern Africa, 626
- Femoral vein, Doppler ultrasonography of, 183
- Fibroma, recurrent infantile digital, laboratory diagnosis of, electron microscopy in, 149
- Filariasis, in tropics, 719-727
 definition of, 719
 differential diagnosis of, 725
 historical aspects of, 719-720
 lymphatic, 721-723
 diagnosis of, 724
 epidemiology and etiology of, 721
 pathogenesis of, 724
 social aspects of, 725
 treatment of, 724-725
- Fingers, occupational dermatoses of, cutting fluids and, 543
- Fish fanciers' fingers, in tropics, 659-661
 vs. cutaneous tuberculosis, 650-651
- Fish tank granuloma, in tropics, 659-661
 vs. cutaneous tuberculosis, 650-651
- Flash burns, industrial, 471
- Flies, in myiasis, 729. See also *Myiasis*.
 family *Calliphoridae*, 730-731
 family *Cuterebridae*, 732
 family *Gasterophilidae*, 732-733
 family *Muscidae*, 730
 family *Oestridae*, 733
 family *Sarcophagidae*, 732
 genus *Auchmeromyia*, 732, 734
 genus *Chrysomyia*, 731-732
 genus *Cordylobia*, 731
 genus *Cuterebridae*, 732
 genus *Dermatobia*, 732
 genus *Hypoderma*, 733
 genus *Sarcophaga*, 732
 genus *Wohlfahrtia*, 732
- Fluorescent antibody microscopy, in laboratory diagnosis, of syphilis, 12
- Fluorescent leprosy antibody absorption test, in laboratory diagnosis, of leprosy, in tropics, 638
- Fluorescent-treponemal-antibody absorption test, in laboratory diagnosis, of syphilis, 13
- Fogo selvagem, in tropics, 765-776
 antidesmosomal autoantibodies in, 769
 clinical features of, 766-768, 766-769
 diagnosis of, 774
 histopathology of, 769-770
 historical aspects of, 766
 immunopathogenesis of, 770-774
 epidemiologic factors in, 773-774
 immunogenetic factors in, 770
 immunologic factors in, 771-773
 incidence of neonatal disease in, 768-769
 treatment of, 774
- Folliculitis, occupational, cutting fluids and, 539-540
- Forearms, occupational dermatoses of, cutting fluids and, 542-544
- Foundation for International Dermatologic Education, in tropical dermatology, 614
- Fragrances, and allergic contact dermatitis, in dental profession, 527-528
- Frictional dermatitis, in tropics, 779
- Fungal infections, deep. See *Deep fungal infections*.
 superficial. See *Superficial fungal infections*.
- Gambia, psoriasis in, 812
- Gelfoam, in hemostasis, 604
- Genital ulcer disease, in tropics, 753-764
 clinical features of, 754-760
 chancroid, 754-755
 donovanosis, 759-760
 herpesvirus infections, 757-758
 lymphogranuloma venereum, 758-759
 syphilis, 755-757
 differential diagnosis of, 760-762
 treatment of, 762-763
- Genitalia, elephantiasis of, in tropics, 722-723
- Genodermatoses, in tropics, 787-796
 ainhum and keloids, 787
 albinism, 791-792
 congenital ichthyoses, 790-791
 hypomelanosis of Ito, 793-794
 neurofibromatosis, 793
 palmoplantar keratoderma, 787-789
 tuberous sclerosis, 793
 xeroderma pigmentosum, 792
- laboratory diagnosis of, 93-97
 albinism, 94
 ataxia-telangiectasia, 93
 Bloom syndrome, 93-94
 Chediak-Higashi syndrome, 94
 Ehlers-Danlos syndrome, 96

- Fabry disease, 96
 porphyria, 94-96
 xeroderma pigmentosum, 94
- German measles, laboratory diagnosis of, 72-73
- Gloves, and occupational dermatoses, 547-559
 natural rubber latex, 547-552
 allergenicity of, 549-550, 552
 chemical additives in, allergenicity of, 548-549
 manufacture of, 547-548
 polyvinyl chloride, 555-557
 allergenicity of, 556-557
 manufacture of, 555-556
 thermoplastic elastomers, 552-555
 allergenicity of, 552-555
 manufacture of, 552
- penetration of, by acrylics, in dental profession, 522-523
- to prevent occupational dermatoses, 597-600
 ASTM permeation test for, 599
 chemical and physical resistance requirements of, 598-599
 cost of, 599-600
 ergonomics of, 599
 evaluation of hazard in, 597-598
 from chemicals, 598
 need for, 597
 selection of, 600
- to prevent occupational irritant dermatitis, 465
- Glucagon, in laboratory diagnosis, 194-195
- Glucagonoma syndrome, laboratory diagnosis of, 195-196
- Glucantime, for American mucocutaneous leishmaniasis, in tropics, 707
- Glucocorticosteroids, for cutaneous lymphomas, 433
- Glutaraldehyde, and allergic contact dermatitis, in dental profession, 528
- Gold, and allergic contact dermatitis, in dental profession, 526
- Gonorrhea, in tropics, 740-741
- Gram stain, in laboratory diagnosis, of chancroid, 1
- Granuloma inguinale, laboratory diagnosis of, 3-5
- Granulomas, occupational, cutting fluids and, 539
- Granulomatous mycosis fungoides, and granulomatous slack skin, 387-388
- Granulomatous slack skin, 375-389
 as lymphoproliferative disease, 388
 clinical features of, 376-378
 differential diagnosis of, 385-388
 histopathologic features of, 378-385
 historical aspects of, 375
 immunophenotypic and genotypic features of, 385
 treatment of, 388
- Growth factors, in lymphoproliferative skin infiltrates, 286
- Guillain-Barré type syndrome, in Lyme borreliosis, in tropics, 675
- Guinea pig sensitization test, for occupational contact dermatitis, 480
- Guinea worm infection, in tropics, genital manifestations of, 743
- Haemophilus ducreyi*, in chancroid, 1-3
 in tropics, 754-755
- Hairy cell leukemia, clinical features of, 421, 425
- Hands, occupational dermatoses of, cutting fluids and, 542-544
- Harlequin ichthyosis, laboratory diagnosis of, electron microscopy in, 157-158
- Hemagglutination, in laboratory diagnosis, of cytomegalovirus, 75
- Hemagglutination-inhibition, in laboratory diagnosis, of rubella, 72
 of rubeola, 69-70
- Hematomas, after cutaneous surgery, management of, 606
- Hemostasis, hints for, 601-606
 anticipate large bleeders, 602
 avoid aspirin, 601
 check blood pressure before major surgery, 601-602
 educate patients, 605-606
 handle hematoma formation, 606
 match hemostats with size of job, 605
 use cotton swabs, 602-603
 use electrocoagulation to seal vessels, 602
 use novel topical hemostatics, 603-605
- Hepatoerythropoietic porphyria, laboratory diagnosis of, 95-96
- Hereditary coproporphyria, laboratory diagnosis of, 95
- Heredopathia atactica polyneuritiformis, laboratory diagnosis of, 104
- Herpes simplex virus, laboratory diagnosis of. See *Herpesviruses*.
- Herpesvirus infections, in tropics, genital manifestations of, 744, 757-758
 treatment of, 763
- Herpesviruses, clinical features of, 51-52
 laboratory diagnosis of, 51-68
 immunomorphologic tests in, 56-60
 immunofluorescence techniques, 57-59
 immunoperoxidase techniques, 59-60
 in children, 110-111
 molecular virology in, 63-64
 polymerase chain reaction amplification, 64
 morphologic tests in, 54-56
 biopsy, 55-56
 electron microscopy, 56
 Tzanck smear preparation, 54-55
 serology in, 60-61
 complement fixation test, 61
 neutralization test, 61
 specimen collection in, 52-53
 specimen transport in, 54
 virologic tests in, 61-63
 amplified culture techniques, 63
 antiviral drug addition, 63
 confirmation and subtyping techniques, 62-63
 countercurrent immunoelectrophoresis, 63
 cytopathic effect, 62
 virus tissue culture, 61-62
- Heterophile antibodies, in laboratory diagnosis, of Epstein-Barr virus, 77
- Hexadecylphosphocholine, for cutaneous lymphomas, 439
- Histamine, in laboratory diagnosis, 195-196
- Histiocytic lymphoma, diagnosis of, monoclonal antibodies in, 226
- Histiocytosis X, in children, laboratory diagnosis of, 113
- Histoid leprosy, in tropics, 634
 diagnosis of, 637-638
- Histoplasmosis, African, clinical features of, 697-698
- HIV infection, in Eastern Africa, 624
 laboratory diagnosis of, 77-79
 with syphilis, 11-12, 15-16
- Hodgkin's disease, diagnosis of, monoclonal antibodies in, 226
 granulomatous slack skin and, 388
- Holocarboxylase synthetase deficiency, in children, laboratory diagnosis of, 117-118

- Hong Kong, psoriasis in, 814
- Human immunodeficiency virus infection. See *HIV infection*.
- Human papillomavirus infection, in tropics, 743-744
- Human repeat insult patch test, for occupational contact dermatitis, 480-481
- Human T-cell lymphotropic virus. See *Retroviruses*.
- Hydroa aestivale, in tropics, 798-799
- Hydroa vacciniforme, in tropics, 798-799
- Hydrofluoric acid burns, industrial, 473
- Hydroquinone, and allergic contact dermatitis, in dental profession, 525
- Hydroxychloroquine sulfate, for lupus erythematosus, 203
- 5-Hydroxyindoleacetic acid, in laboratory diagnosis, 196
- 2-Hydroxy-4-methoxy-benzophenone, and allergic contact dermatitis, in dental profession, 528
- 2-(2-Hydroxy-5-methylphenyl)benzotriazole, and allergic contact dermatitis, in dental profession, 528
- Hyperimmunoglobulin E syndrome, in children, laboratory diagnosis of, 116-117
- Hypermelanosis, in tuberculosis, in Eastern Africa, 624
- Hypertrophic interstitial neuritis, vs. leprosy, in tropics, 641
- Hypomelanosis of Ito, in tropics, 793-794
- Hypopigmentation, postinflammatory, vs. leprosy, in tropics, 639
- IBIDS syndrome, laboratory diagnosis of, 102-103
- Ichthyosis, congenital, in tropics, 790-791
- laboratory diagnosis of, 99-107
- bullous congenital ichthyosiform erythroderma, 101
- CHILD syndrome, 102
- chondrodysplasia punctata, 102
- classic lamellar ichthyosis, 100-101
- harlequin, electron microscopy in, 157-158
- IBIDS syndrome, 102-103
- ichthyosis vulgaris, 99-100
- in children, 113
- in children, 120
- KID syndrome, 103
- Netherton syndrome, 103
- neutral lipid storage disease, 103-104
- nonbullous congenital ichthyosiform erythroderma, 100-101
- recessive X-linked ichthyosis, 100
- Refsum disease, 104
- Sjögren-Larsson syndrome, 104
- Immunoblot, in laboratory diagnosis, of acquired epidermolysis bullosa, 129-130
- Immunocytochemistry, in leprosy, in tropics, 638
- Immunoelectron microscopy, in laboratory diagnosis, of acquired epidermolysis bullosa, 129
- Immunofluorescence, in laboratory diagnosis, of acquired epidermolysis bullosa, 129
- of bullous diseases and lupus erythematosus. See *Bullous diseases*.
- of cytomegalovirus, 76
- of Epstein-Barr virus, 77
- of herpesviruses, 57-59
- of HIV infection, 78
- of inherited epidermolysis bullosa, 126-127, 128
- of Lyme borreliosis, 21
- of roseola, 74
- of rubella, 72
- of rubeola, 70
- Immunohistochemistry, to detect clonal disease, in cutaneous T-cell lymphomas, 352, 354
- to diagnose CD30-positive large cell lymphomas, 364
- to diagnose mycosis fungoides, 317
- to diagnose semimalignant cutaneous B-cell lymphomas, 402
- Immunoperoxidase techniques, in laboratory diagnosis, of herpesviruses, 59-60
- Immunophenotyping, of leukemia cutis, 425-427
- Immunoprecipitation, in laboratory diagnosis, of acquired epidermolysis bullosa, 129-130
- Immunotherapy, for AIDS-related Kaposi's sarcoma, 454
- Impregnum, and allergic contact dermatitis, in dental profession, 528-529
- Incontinentia pigmenti achromians, in tropics, 793-794
- India, psoriasis in, 813
- Indian Leprologists' Association classification, of leprosy, in tropics, 631
- Industrial hygienist, in occupational dermatoses, 591-596
- evaluations by, 591-592
- prospective, 594-595
- retrospective, 593-594
- obtaining assistance from, 592-593
- workplace control of exposures by, 595-596
- Infections, bacterial, in children, laboratory diagnosis of, 110
- cutaneous, WHO plan for, in tropics, 617
- deep fungal. See *Deep fungal infections*.
- mycobacterial. See *Mycobacterial infections*.
- mycotic, in Eastern Africa, 625
- superficial fungal. See *Superficial fungal infections*.
- viral, in children, laboratory diagnosis of, 110-111
- Inflammatory skin diseases, clonal disease in, 358
- Interferons, for AIDS-related Kaposi's sarcoma, 454
- for cutaneous lymphomas, 434-435, 436, 437-438
- for lupus erythematosus, 204
- for lymphoproliferative skin infiltrates, 291-292
- in lymphoproliferative skin infiltrates, 286
- Interleukin-1, in lymphoproliferative skin infiltrates, 283-284
- Interleukin-2, for cutaneous lymphomas, 438
- in lymphoproliferative skin infiltrates, 284
- Interleukin-4, in lymphoproliferative skin infiltrates, 284-285
- Interleukin-5, in lymphoproliferative skin infiltrates, 285
- Interleukin-6, in lymphoproliferative skin infiltrates, 284
- Interleukin-7, in lymphoproliferative skin infiltrates, 285
- Interleukin-9, in lymphoproliferative skin infiltrates, 285
- Interleukin-10, in lymphoproliferative skin infiltrates, 285
- International League of Dermatological Societies, in tropical dermatology, 612-616
- International Society of Dermatology, in tropical dermatology, 613-614
- Intraepidermal IgA neutrophilic dermatosis, laboratory diagnosis of, immunofluorescence in, 136, 138
- Intralesional therapy, for AIDS-related Kaposi's sarcoma, 452-453
- Irritant contact dermatitis, in pharmaceutical industry, 534
- occupational, clinical features of, 461-462
- Irritant dermatitis, occupational, 461-467
- clinical features of, 461-463
- complications of, 463
- cutting fluids and, 541
- diagnosis of, 464
- disposition to, screening for, 466
- epidemiology of, 463-464
- pathophysiology of, 461
- prevention of, 465-466
- prognosis for, 465

- risk factors for, 464
- treatment of, 465
- Isoenzyme analysis, in laboratory diagnosis, of leishmaniasis, 44
- Isotretinoin, for lupus erythematosus, 204
- Ixodes dammini*, in Lyme borreliosis. See *Lyme borreliosis*.
- Kaposi's sarcoma, AIDS-related, treatment of, 451-456
 - chemotherapy in, 453-454
 - cryotherapy in, 452
 - experimental, 454-455
 - immunotherapy in, 454
 - interferons in, 454
 - intralesional, 452-453
 - radiation therapy in, 452
- Keloidal blastomycosis, in tropics, 698-699
- Keloids, in tropics, 787
- Kenya, psoriasis in, 811
- Keratosis, occupational, cutting fluids and, 538
- KID syndrome, laboratory diagnosis of, 103
- Kuala Lumpur, psoriasis in, 813
- Laboratory diagnosis, alpha-1-antitrypsin in, 191-192
 - angiotensin converting enzyme in, 192-193
 - CI esterase inhibitor in, 193-194
 - electron microscopy in. See *Electron microscopy*.
 - glucagon in, 194-195
 - histamine in, 195-196
 - 5-hydroxyindoleacetic acid in, 196
 - immunofluorescence in. See *Immunofluorescence*.
 - of arterial disease. See *Arterial disease*.
 - of bullous diseases and lupus erythematosus. See *Bullous diseases*.
 - of chancroid, 1-3
 - of connective tissue diseases. See *Connective tissue diseases*.
 - of epidermolysis bullosa. See *Epidermolysis bullosa*.
 - of genodermatoses. See *Genodermatoses*.
 - of granuloma inguinale, 3-5
 - of herpesviruses. See *Herpesviruses*.
 - of ichthyosis. See *Ichthyosis*.
 - of leishmaniasis. See *Leishmaniasis*.
 - of Lyme borreliosis. See *Lyme borreliosis*.
 - of lymphogranuloma venereum, 5-6
 - of morbilliform viral eruptions. See *Morbilliform viral eruptions*.
 - of recalcitrant eczema. See *Recalcitrant eczema*.
 - of rickettsial diseases. See *Rickettsial diseases*.
 - of syphilis. See *Syphilis*.
 - of venous disease. See *Venous disease*.
 - skin biopsy in. See *Skin biopsy*.
- Lamellar ichthyosis, laboratory diagnosis of, 100-101
- Langerhans cell histiocytosis, laboratory diagnosis of,
 - electron microscopy in, 149, 153, 157
 - in children, 113
- Langerhans cells, in dendritic cell system, in cutaneous lymphocytic infiltrates, 272
- Large perforators, Doppler ultrasonography of, 185
- Latex agglutination test, in laboratory diagnosis, of cytomegalovirus, 76-77
 - of rubella, 73
- Legs, elephantiasis of, in tropics, 722
- Leiner syndrome, in children, laboratory diagnosis of, 117
- Leishmaniasis, American mucocutaneous. See *American mucocutaneous leishmaniasis*.
- in Eastern Africa, 623
- in tropics, genital manifestations of, 743
- laboratory diagnosis of, 37-50
 - animal inoculation in, 42, 44
 - approach to patient in, 38-40
 - clinical features in, 38
 - comparison of methods in, 49
 - cultures in, 42
 - DNA probes in, 46-47
 - epidemiology in, 38
 - future trends in, 47-48
 - histopathology in, 41-42
 - isoenzyme analysis in, 44
 - monoclonal antibodies in, 44-45
 - Montenegro or leishmanin skin test in, 46
 - serology in, 45-46
 - smears in, 39-41
 - specimen handling in, 48
- Lepromatous leprosy, in tropics, 633-634
 - diagnosis of, 637
 - genital manifestations of, 743
- Leprosin test, in leprosy, in tropics, 638
- Leprosy, in Eastern Africa, 626
 - in tropics, 629-644
 - classification of, 631
 - clinical features of, 631-635
 - borderline borderline, 633
 - borderline lepromatous, 633
 - borderline tuberculoid, 632-633
 - histoid leprosy, 634
 - in children, 635
 - indeterminate, 632
 - lepromatous leprosy, 633-634
 - polyneuritic leprosy, 634-635
 - tuberculoid tuberculoid, 632
 - diagnosis of, 636-639
 - histopathology in, 637-638
 - immunocytochemistry in, 638
 - lepromin test in, 638
 - serology in, 638-639
 - slit-skin smear in, 636-637
 - epidemiology of, 629-630
 - etiopathogenesis of, 630-631
 - Lucio phenomenon in, 635-636
 - reactions in, 635-636
 - treatment of, 641-642
 - tuberculoid, vs. cutaneous tuberculosis, 651
 - vs. achromic nevus, 639
 - vs. discoid lupus erythematosus, 640
 - vs. hypertrophic interstitial neuritis, 641
 - vs. lupus vulgaris, 640
 - vs. meralgia paresthetica, 641
 - vs. myxedema, 641
 - vs. neurofibromatosis, 641
 - vs. nevus anemicus, 639
 - vs. peripheral neuritis, 641
 - vs. pityriasis alba, 639
 - vs. pityriasis rosea, 640
 - vs. pityriasis versicolor, 639-640
 - vs. postinflammatory hypopigmentation, 639
 - vs. post-kala azar leishmaniasis, 640-641
 - vs. primary amyloidosis of nerves, 641
 - vs. psoriasis, 640
 - vs. tinea corporis, 640
 - vs. vitiligo, 639
- Letterer-Siwe disease, laboratory diagnosis of, electron microscopy in, 153
 - in children, 113
- Leukapheresis, for cutaneous lymphomas, 437, 438
- Leukemia cutis, 419-431

- Leukemia cutis (*Continued*)
 clinical features of, 419-424
 nonspecific lesions, 422-424
 specific lesions, 419-422
 histopathologic features of, 424-425
 immunophenotyping of, 425-427
 prognosis for, 427-429
 treatment of, 427-429
- Leukoderma, occupational, cutting fluids and, 538
- Lichen planus pemphigoides, laboratory diagnosis of, immunofluorescence in, 139-140
- Lichen planus pigmentosus, in tropics, 778-779
- Lidocaine, and allergic contact dermatitis, in dental profession, 527
- Light reflection rheography, in laboratory diagnosis, of venous disease, 185-186, 189
- Linear IgA bullous dermatosis, laboratory diagnosis of, immunofluorescence in, 139
- Lip piercing, in Eastern Africa, 626
- Lobomycosis, in tropics, 698-699
- Local anesthetics, and allergic contact dermatitis, in dental profession, 527
 choosing system for, 817-823
 agents in, 819-821
 alkalinized lidocaine, 820
 chloral hydrate, 820
 ice and EMLA, 819-820
 lidocaine with or without epinephrine, 820
 pain attenuation by, 820-821
 saline with benzyl alcohol and epinephrine, 820
 criteria for numbness in, 819
 duration of anesthetic in, 818
 for nonintact epidermis, 819
 immediate availability in, 818
 in adults with sensitive site, 821
 in allergic patients, 822
 in average adults with minimal anxiety, 821-822
 in children with facial lesions, 821
 in nonanxious adults with nonsensitive site, 821
 in nonanxious children with nonfacial lesions, 821
 in severely frightened children, 821
 instantaneous anesthesia, 818
 needle in, 819
 patient factors in, 819
 shelf life in, 818-819
 two-agent anesthesia, 819
 when anesthesia not usually given, 822
- Low-molecular-weight chemicals, and contact urticaria, in dental profession, 529-530
- Lucio phenomenon, in leprosy, in tropics, 636
- Lupus erythematosus, cutaneous lesions in, and cosmetic problems, 202
 ocular changes, 203
 treatment of, 201-206
 antimalarial drugs in, 203
 azathioprine in, 203-204
 dapson in, 204
 hydroxychloroquine sulfate in, 203
 interferon in, 204
 intralesional corticosteroids in, 203
 isotretinoin in, 204
 sunscreens in, 202
 topical corticosteroids in, 202-203
 triamcinolone acetonide in, 203
 with antiphospholipid antibodies, 204-205
 with vasculitis, 204
 laboratory diagnosis of, 166-167
 immunofluorescence in, 140-141
- Lupus vulgaris, in cutaneous tuberculosis, in tropics, 647
 vs. leprosy, in tropics, 640
- Lyme borreliosis, in tropics, 669-685
 clinical features of, 673-677
 cutaneous, 673-675
 extracutaneous, 675-677
 congenital, 677
 course and prognosis of, 679
 diagnosis of, 677-678
 differential diagnosis of, 678-679
 ecology of, 671
 epidemiology of, 669, 671
 evolution of, 680
 historical aspects of, 669
 in pregnancy, 677
 microbiology of, 671-673
 prevention of, 679
 transfusional risk in, 677
 treatment of, 679-680
 vaccination for, 680
 laboratory diagnosis of, 19-24
 antibody response in, 20-21
 histopathology in, 20
 microbiology in, 19-20
 polymerase chain reaction in, 21-22
 urine antigen testing in, 21
- Lymphadenitis benigna cutis, in Lyme borreliosis, in tropics, 674
- Lymphangitis, in tropics, genital manifestations of, 743
- Lymphocyte-stimulating factors, in lymphoproliferative skin infiltrates, 284-285
- Lymphogranuloma venereum, in tropics, clinical features of, 758-759
 treatment of, 763
 laboratory diagnosis of, 5-6
- Lymphohistiocytic disorders, laboratory diagnosis of, electron microscopy in. *See Electron microscopy.*
- Lymphomas. *See Cutaneous B-cell lymphomas; Cutaneous lymphomas; Cutaneous T-cell lymphomas.*
 primary cutaneous large cell. *See Primary cutaneous large cell lymphomas.*
- Lymphomatoid papulosis, vs. CD30-positive large cell lymphomas, 364-366
- Madrid classification, of leprosy, in tropics, 631
- Malassezia furfur*, in pityriasis versicolor, in tropics, 779-780
- Malaysia, psoriasis in, 813
- Mali, psoriasis in, 811-812
- Mantle-cell lymphomas, 409-417
 clinical features of, 409-413
 common findings in, 413
 cytogenetics and molecular biology of, 414
 of B-cell origin, 413-414
- Mantoux test, in cutaneous tuberculosis, in tropics, 649
- Maple syrup urine disease, in children, laboratory diagnosis of, 119
- Mastocytosis, histamine and, 195-196
- Measles, in Eastern Africa, 624
 laboratory diagnosis of, 69-71
- Mechlorethamine, for cutaneous lymphomas, 433-434, 435, 437, 438
- Meglumine antimonate, for American mucocutaneous leishmaniasis, in tropics, 707
- Melanin deficiency syndrome, in tropics, 801
- Melanoderma, occupational, cutting fluids and, 538
- Melasma, in tropics, 781-782
- Meningitis, in Lyme borreliosis, in tropics, 675
- Meralgia paresthetica, vs. leprosy, in tropics, 641

- Mercury, and allergic contact dermatitis, in dental profession, 526
- Metabolic disorders, with eczema, in children, laboratory diagnosis of, 117-119
- Metals, and allergic contact dermatitis, in dental profession, 525-527
- Methyl dichloro-benzene sulfonate, and allergic contact dermatitis, in dental profession, 528-529
- Methylhydroquinone, and allergic contact dermatitis, in dental profession, 525
- Methyl-p-toluene sulfonate, and allergic contact dermatitis, in dental profession, 528-529
- Molecular biology, to detect clonal disease, in cutaneous T-cell lymphomas, 354-355
- to diagnose cutaneous T-cell lymphomas, 231-241
- biologic findings in, 237-239
- diagnosis, 237-238
- disease monitoring, 238
- general features, 237
- multiple diseases, 239
- staging, 238
- tumor cell trafficking, 238-239
- polymerase chain reaction-based clonality assays in, 234, 236-237
- Southern blot analysis in, 233-234
- T-cell receptors in, 231-233
- to diagnose mantle-cell lymphomas, 414
- to diagnose mycosis fungoides, 317
- Molecular virology, in laboratory diagnosis, of herpesviruses, 63-64
- Molten metal burns, industrial, 470-471
- Monoclonal antibodies, in laboratory diagnosis, of inherited epidermolysis bullosa, 127-128
- of leishmaniasis, 44-45
- on paraffin sections, to diagnose cutaneous lymphomas, 219-229
- B-cell, 223-225
- Hodgkin's disease, 226
- lymphoid infiltrates in, 220
- pitfalls in, 227
- T-cell, 220-223
- techniques for, 219-220
- "true" histiocytic lymphomas, 226
- to detect clonal disease, in cutaneous T-cell lymphomas, 352, 354
- Monoclonal lymphoid cell populations, detection of, by polymerase chain reaction, applications of, 342-344
- clone-specific DNA in, 344-345
- limitations of, 347
- with cRNA-single-stranded conformational polymorphisms, 346-347
- with denaturing or temperature gradient gel electrophoresis, 346
- with polyacrylamide gel electrophoresis, 345-346
- by Southern blot analysis, 341-342
- in cutaneous T-cell lymphomas, 341-349
- Montenegro test, in laboratory diagnosis, of leishmaniasis, 46
- Morbilliform viral eruptions, laboratory diagnosis of, 69-82
- adenoviruses, 79
- cytomegalovirus, 75-77
- enteroviruses, 79
- Epstein-Barr virus, 77
- erythema infectiosum, 74-75
- HIV infection, 77-79
- roseola, 73-74
- rubella, 72-73
- rubeola, 69-71
- Mouse ear swelling test, for occupational contact dermatitis, 481
- Murine local lymph node assay, for occupational contact dermatitis, 481
- Murine typhus, laboratory diagnosis of, 28
- Mycetoma, in tropics, 695-696
- Mycobacterial infections, in tropics, 657-669
- epidemiology and prevalence of, 657-659
- group 1, 659-662
- group 2, 662
- group 3, 662-665
- group 4, 665-666
- Mycobacteriosis, in tropics, vs. cutaneous tuberculosis. See *Cutaneous tuberculosis*.
- Mycobacterium avium intracellulare* infections, in tropics, 663-664
- Mycobacterium chelonae* infections, in tropics, 665-666
- Mycobacterium fortuitum* infections, in tropics, 665
- Mycobacterium haemophilum* infections, in tropics, 664
- Mycobacterium kansasii* infections, in tropics, 661-662
- Mycobacterium leprae*. See *Leprosy*.
- Mycobacterium mageritense* infections, in tropics, 664
- Mycobacterium marinum* infections, in tropics, 659-661
- Mycobacterium smegmatis* infections, in tropics, 666
- Mycobacterium szulgai* infections, in tropics, 662
- Mycobacterium terrae* infections, in tropics, 664
- Mycobacterium tuberculosis*. See *Cutaneous tuberculosis*.
- Mycobacterium ulcerans* infections, in tropics, 662-663
- Mycobacterium xenopi* infections, in tropics, 664-665
- Mycosis fungoides. See *Cutaneous lymphomas*.
- Mycotic infections, in Eastern Africa, 625
- Myiasis, in tropics, 729-736
- classification of, 729-733
- ecology of, 729
- flies in, 729. See also *Flies*.
- of cutaneous tissues, 733-734
- pathology of, 735
- pathophysiology of, 733
- prevention of, 734-735
- treatment of, 735-736
- Myositis-specific autoantibodies, in laboratory diagnosis, of connective tissue diseases, 168-169
- Myxedema, vs. leprosy, in tropics, 641
- Nails, changes in, in psoriasis, 112
- Natural rubber latex, and contact urticaria, in dental profession, 529
- and occupational dermatoses, 561-567
- diagnosis of, 564-565
- differential diagnosis of, 565-566
- frequency of, 562-563
- prevention of, 565
- risk groups in, 562
- symptoms of, 561-562
- types of occupations in, 563-564
- in gloves, and occupational dermatoses. See *Gloves*.
- Necrolytic migratory erythema, in glucagonoma syndrome, 195
- Needle aspiration, in laboratory diagnosis, of leishmaniasis, 39
- Netherton syndrome, laboratory diagnosis of, 103
- in children, 120
- Neurofibromatosis, in tropics, 793
- vs. leprosy, 641
- Neutral lipid storage disease, laboratory diagnosis of, 103-104
- Neutralization test, in laboratory diagnosis, of cytomegalovirus, 76

- Neutralization test (*Continued*)
 of herpesviruses, 61
 of HIV infection, 78
- Nevus anemicus, vs. leprosy, 639
- Nigeria, psoriasis in, 811
- Nitroblue tetrazolium reduction assay, in laboratory
 diagnosis, of chronic granulomatous disease, in
 children, 115-116
- Nonbullous congenital ichthyosiform erythroderma,
 laboratory diagnosis of, 100-101
- Nose piercing, in Eastern Africa, 626
- Nummular dermatitis, in children, laboratory diagnosis
 of, 111-112
- Occupational dermatoses, airborne. See *Airborne
 occupational dermatoses*.
 burns. See *Burns*.
 chloracne. See *Chloracne*.
 contact dermatitis. See *Contact dermatitis*.
 cutting fluids in. See *Cutting fluids*.
 diagnostic pearls in, 485-489
 epidemiology in, 577-582
 vocabulary in, 578-581
 case control, 578-579
 confounding, 580
 information bias, 580
 prospective studies, 579
 screening, 581
 selection bias, 579-580
 surveillance, 580-581
 validity and bias, 579
 gloves in. See *Gloves*.
 in dental profession. See *Dental profession*.
 in pharmaceutical industry. See *Pharmaceutical indus-
 try*.
 industrial hygienist in. See *Industrial hygienist*.
 irritant dermatitis. See *Irritant dermatitis*.
 natural rubber latex in. See *Natural rubber latex*.
 patch testing of atops for, 491-499
 poison ivy and oak dermatitis. See *Poison ivy and oak
 dermatitis*.
 prevention of, gloves in. See *Gloves*.
 workers' compensation for. See *Workers' compensation*.
- Oculocutaneous albinism, in tropics, 791
- Oil acne, occupational, cutting fluids and, 539-540
- Onchocerciasis, in Eastern Africa, 622-623
 in tropics, 723
 diagnosis of, 724
 elephantiasis due to, 723-724
- Ophthalmomyiasis, in tropics, 734
- Oroya fever, laboratory diagnosis of, 31
- Oxidized cellulose, in hemostasis, 604
- Pagetoid reticulosis, early diagnosis of, 319, 321
- Palladium, and allergic contact dermatitis, in dental
 profession, 526-527
- Palmoplantar keratoderma, in tropics, 787-789
- Panniculitis, alpha-1-antitrypsin deficiency and, 191
- Paraneoplastic pemphigus, laboratory diagnosis of,
 immunofluorescence in, 138
- Parasitic diseases, in Eastern Africa, 622-623
- Parvovirus B19, laboratory diagnosis of, 74
- Patch tests, for acrylics, in allergic contact dermatitis, in
 dental profession, 523-524
 for occupational contact dermatitis, 479-480
 of atopic individuals, for occupational dermatoses,
 491-499
- Paul-Bunnell-Davidsohn test, in laboratory diagnosis, of
 Epstein-Barr virus, 77
- Pemphigus foliaceus, endemic. See *Fogo selvagem*.
- Penang, psoriasis in, 813
- Penicillin, for Lyme borreliosis, in tropics, 680
 for syphilis, in tropics, 762-763
 resistance to, in gonorrhea, in tropics, 740
- Penicillinase-producing *Neisseria gonorrhoeae*, penicillin
 resistance in, in tropics, 740
- Pentachlorophenol, and occupational chloracne, 572-573
- Pentavalent antimonials, for American mucocutaneous
 leishmaniasis, in tropics, 707
- Perak, psoriasis in, 813
- Peripheral neuritis, in Lyme borreliosis, in tropics, 675
 vs. leprosy, in tropics, 641
- Peroxidase-antiperoxidase methods, in laboratory
 diagnosis, of herpesviruses, 59-60
- Persistent light reactivity, in chronic actinic dermatitis, in
 tropics, 800
- Peru, psoriasis in, 810
- Pharmaceutical industry, occupational dermatoses in,
 533-536
 allergic contact dermatitis, 534-535
 contact urticaria, 535
 epidemiology of, 533
 in dispensing pharmacists, 535
 irritant contact dermatitis, 534
 patterns in, 533-534
 prevention of, 535
- Phenolic glycolipid-1 antigen, antibodies to, in leprosy,
 in tropics, 638-639
- Phosphorus burns, industrial, 473
- Photodermatoses, in tropics, 797-803
 affected by light, 802
 genetic and metabolic, 800-802
 cutaneous porphyrias, 801-802
 disorders of tryptophan metabolism, 801
 melanin deficiency syndrome, 801
 xeroderma pigmentosum, 801
 idiopathic, 797-800
 actinic prurigo, 798
 chronic actinic dermatitis, 800
 hydroa aestivale and hydroa vacciniforme, 798-
 799
 polymorphous light eruption, 797-798
 solar urticaria, 799-800
- Photoinactivated lymphocyte therapy, for cutaneous
 T-cell lymphomas, 443-449
 clinical experience with, 444-448
 for tumor stage disease, 446-448
 mechanism of action of, 448-449
 photoinactivated state in, 444
 technique for, 443-444
 toxicity of, 444
- Pigmentary disorders, in tropics, 777-784
 ashy dermatosis, 777-778
 frictional dermatitis, 779
 lichen planus pigmentosus, 778-779
 melasma, 781-782
 pinta, 780-781
 pityriasis versicolor, 779-780
 vitiligo, 782-783
 occupational, cutting fluids and, 538
- Pinta, in tropics, 742, 780-781
- Pityriasis alba, in tropics, vs. leprosy, 639
- Pityriasis rosea, in tropics, vs. leprosy, 640
- Pityriasis versicolor, in tropics, 779-780
 vs. leprosy, 639-640

- Plaquenil, for lupus erythematosus, 203
- Platinum, and allergic contact dermatitis, in dental profession, 527
- Pleomorphic T-cell lymphomas, clonal disease in, 356-358
- Plethysmography, in laboratory diagnosis, of vascular disease, 177, 180, 185-186, 189
- Pneumoplethysmography, in laboratory diagnosis, of venous disease, 189
- Poison ivy and oak dermatitis, 511-516
 - botany in, 511-512
 - chemistry in, 512
 - future action on, proposal for, 515
 - immunobiology in, 512-513
 - prevention of, 513-515
- Polyacrylamide gel electrophoresis, to detect monoclonal lymphoid cell populations, 345-346
- Polymerase chain reaction, in cutaneous tuberculosis, in tropics, 650
 - in laboratory diagnosis, of cytomegalovirus, 76
 - of herpesviruses, 64
 - of HIV infection, 79
 - of Lyme borreliosis, 21-22
 - of rickettsial diseases, 32
 - of roseola, 74
- to detect clonal disease, in cutaneous T-cell lymphomas, 354-355
- to detect monoclonal lymphoid cell populations, in cutaneous T-cell lymphomas. *See Monoclonal lymphoid cell populations.*
- Polymerase chain reaction-based clonality assays, to diagnose cutaneous T-cell lymphomas, 234, 236-237
- Polymorphous light eruption, in tropics, 797-798
- Polyneuritic leprosy, in tropics, 634-635
- Polyvinyl chloride, in gloves, and occupational dermatoses. *See Gloves.*
- Porphyria cutanea tarda, laboratory diagnosis of, 95-96
- Porphyrias, cutaneous, in tropics, 801-802
 - laboratory diagnosis of, 94-96
- Post-kala azar leishmaniasis, in Eastern Africa, 623
- vs. leprosy, in tropics, 640-641
- Potassium hydroxide preparation, in laboratory diagnosis, of dermatophytes, in children, 111
- Pregnancy, Lyme borreliosis in, in tropics, 677
- Primary cutaneous large cell lymphomas, classification of, 361-373
 - B-cell phenotype, 368-370
 - follicular center cell lymphoma, 368-370
 - CD30-negative, 367-368
 - CD30-positive, 363-367
 - clinical features of, 363-364
 - cutaneous features of, 366-367
 - histologic features of, 364
 - immunohistochemistry of, 364
 - secondary to other cutaneous T-cell lymphomas, 366
 - vs. lymphomatoid papulosis, 364-366
 - T-cell phenotype, 362-363
- diagnosis of, 362
- Procaine, and allergic contact dermatitis, in dental profession, 527
- Prostatitis, gonorrhea and, in tropics, 741
- Prostheses, dental, and allergic contact dermatitis, 520
- Provocative use test, for occupational contact dermatitis, 480
- Pseudoadenolymphocoele, in tropics, genital manifestations of, 743
- Pseudolymphomas, clonal disease in, 358
- Pseudoxanthoma elasticum, in tropics, 795
- Psoralens and ultraviolet light therapy, for cutaneous lymphomas, 433, 435, 437, 438
- Psoriasis, dendritic cells in, 275-276
- in children, laboratory diagnosis of, 112-113
- in tropics, 805-816
 - distribution of, 805-807
 - Africa, 811-812
 - Australia, 814
 - Black Americans, 812-813
 - Caribbean Islands, 807, 810
 - central and Southeast Asia, 813-814
 - middle and Central America, 807
 - tropical South America, 810-811
 - vs. leprosy, 640
- Punch biopsy, definition of, 84
- Pyoderma gangrenosum, clinical features of, 423-424
- Q fever, laboratory diagnosis of, 29, 31
- Quantitative structure activity relationship, in occupational contact dermatitis, 481
- Radiation therapy, for AIDS-related Kaposi's sarcoma, 452
 - for cutaneous lymphomas, 434, 435, 436-437
 - for leukemia cutis, 427-429
- Radioallergosorbent tests, for contact urticaria, in dental profession, 530
 - for occupational dermatoses, due to natural rubber latex, 565
- Radioimmunoassay, in laboratory diagnosis, of cytomegalovirus, 75-76
- Radioimmunoprecipitation, in laboratory diagnosis, of HIV infection, 78
- Rapid plasmin reagin test, in laboratory diagnosis, of congenital syphilis, 15
- Recalcitrant eczema, in children, laboratory diagnosis of, 109-121
 - allergic contact dermatitis, 112
 - ataxia-telangiectasia, 113-114
 - atopic dermatitis, 109-110
 - bacterial infections, 110
 - chronic granulomatous disease, 115-116
 - cystic fibrosis, 119
 - dermatophytes, 111
 - hyperimmunoglobulin E syndrome, 116-117
 - ichthyosis vulgaris, 113
 - Langerhans cell histiocytosis, 113
 - Leiner syndrome, 117
 - maple syrup urine disease, 119
 - metabolic and endocrine disorders, 117-119
 - Netherton syndrome, 120
 - nummular dermatitis, 111-112
 - psoriasis, 112-113
 - scabies, 111
 - seborrheic dermatitis, 112
 - selective IgA deficiency, 116
 - selective IgM deficiency, 116
 - Shwachman syndrome, 116
 - viral infections, 110-111
 - Wiskott-Aldrich syndrome, 114-115
 - xerosis, 112
 - X-linked agammaglobulinemia, 116
- Recessive X-linked ichthyosis, laboratory diagnosis of, 100
- Refsum's disease, laboratory diagnosis of, 104

- Repeated open application test, for occupational contact dermatitis, 480
- Resin carriers, and allergic contact dermatitis, in dental profession, 528
- Reticular veins, Doppler ultrasonography of, 185
- Reticulohistiocytosis, congenital self-healing, laboratory diagnosis of, electron microscopy in, 153, 157
- Retinoids, for cutaneous lymphomas, 435, 436, 437-438
- Retroviruses, and cutaneous T-cell lymphomas, 243-253
future trends in, 249-251
human T-cell lymphotropic virus, 246-249
in vitro studies of, 247-248
in vivo studies of, 248-249
methodologies for, 246-247
primary vs. secondary infection, 249
hypothesis for, 244-246
adult T-cell leukemia/lymphoma in, 244, 246
model of tumor progression in, 243-244
- Rheography, light reflection, in laboratory diagnosis, of venous disease, 185-186, 189
- Rhinoscleroma, in Eastern Africa, 621-622
- Rickettsial diseases, laboratory diagnosis of, 25-36
bacillary angiomatosis, 30
bacillary peliosis hepatis, 30
bartonellosis, 31
boutonneuse fever, 27
ehrlichiosis, 29-30
epidemic typhus, 28
histopathology in, 31-32
immunohistology and immunocytology in, 32
in vitro cultivation in, 32, 34
molecular diagnostics in, 32
murine typhus, 28
Q fever, 29
rickettsialpox, 27
Rochalimaea infections, 30
Rocky Mountain spotted fever, 26-27
scrub typhus infections, 28-29
serology in, 34
spotted fever group infections, 27-28
- Rickettsialpox, laboratory diagnosis of, 27
- Ridley and Jopling classification, of leprosy, in tropics, 631
- Ringworm, in tropics, 690
- Ritualistic injuries, in Eastern Africa, 626
- River blindness. See *Onchocerciasis*.
- Rochalimaea*. See *Rickettsial diseases*.
- Rocky Mountain spotted fever, laboratory diagnosis of, 26-27
- Roseola, laboratory diagnosis of, 73-74
- Rubber latex. See *Natural rubber latex*.
- Rubella, laboratory diagnosis of, 72-73
- Rubeola, laboratory diagnosis of, 69-71
- S-100 protein, in laboratory diagnosis, of histiocytosis X, in children, 113
- Saphenofemoral junction, Doppler ultrasonography of, 183
- Saphenopopliteal junction, Doppler ultrasonography of, 183, 185
- Sarcoidosis, angiotensin converting enzyme and, 192-193
vs. cutaneous tuberculosis, in tropics, 652
vs. granulomatous slack skin, 387
- Scabies, in children, laboratory diagnosis of, 111
in Eastern Africa, 621
- Schistosomiasis, cutaneous. See *Cutaneous schistosomiasis*.
in Eastern Africa, 622
in tropics, genital manifestations of, 743
- Schistosomides, in cutaneous schistosomiasis, in tropics, 714-715
- Scleroderma, laboratory diagnosis of, 167-168
- Screw worms, in myiasis, in tropics, 730-731
- Scrofuloderma, in tropics, 648
nontuberculous, vs. cutaneous tuberculosis, 651
- Scrub typhus infections, laboratory diagnosis of, 28-29
- Scutan, and allergic contact dermatitis, in dental profession, 528-529
- Seborrheic dermatitis, in children, laboratory diagnosis of, 112
- Selective IgA deficiency, in children, laboratory diagnosis of, 116
- Selective IgM deficiency, in children, laboratory diagnosis of, 116
- Seminalignant cutaneous B-cell lymphomas, clinical study of, 399-407
material and methods for, 401
results of, 401-402
clinical features, 401
histologic features, 401-402
immunohistochemistry, 402
- Senekje medium, in laboratory diagnosis, of leishmaniasis, 42
- Serology, in laboratory diagnosis, of herpesviruses, 60-61
of leishmaniasis, 45-46
of leprosy, in tropics, 638-639
of rickettsial diseases, 34
of syphilis. See *Syphilis*.
- Serotherapy, for cutaneous lymphomas, 436
- Seven Group classification, of leprosy, in tropics, 631
- Sexually transmitted diseases, in tropics, 737-746, 739-740
chlamydia, 741-742
diagnosis of, 743
endemic treponematoses, 742-743
epidemiology of, 738-739
genital herpesvirus infections, 744
genital human papillomavirus infections and warts, 743-744
gonorrhea, 740-741
presentation of, 739
syphilis, 742
tropical disease with genital manifestations, 743
- Sézary syndrome. See *Cutaneous lymphomas*.
- Shave biopsy, definition of, 83
- Sheep nostril flies, in myiasis, in tropics, 733
- Shwachman syndrome, in children, laboratory diagnosis of, 116
- Silver, and allergic contact dermatitis, in dental profession, 527
- Singapore, psoriasis in, 813-814
- Sixth disease, laboratory diagnosis of, 73-74
- Sjögren-Larsson syndrome, laboratory diagnosis of, 104
- Skin biopsy, in laboratory diagnosis, 83-91
biopsy site selection, 84-85
biopsy type, 83-84
interpretation of, 86-91
clinician's role in, 89-90
fundamentals of, 88-89
laboratory's role in, 90-91
specialist vs. generalist in, 86-87
tissue orientation and margin evaluation in, 87-88
of bullous congenital ichthyosiform erythroderma, 101
of congenital ichthyosiform erythroderma, 101
of herpesviruses, 55-56
of ichthyosis vulgaris, 99-100

- of leishmaniasis, 40
- of Lyme borreliosis, 20
- of neutral lipid storage disease, 103
- of scabies, in children, 111
- second opinions on, 85-86
- what to expect from laboratory, 85
- Skin cancer, in Eastern Africa, 622
- Skin prick tests, for occupational dermatoses, due to natural rubber latex, 564-565
- Slit-skin smear, in leprosy, in tropics, 636-637
- Smears, in laboratory diagnosis, of leishmaniasis, 39-41
- Solar urticaria, in tropics, 799-800
- South America, psoriasis in, 810-811
- Southern blot analysis, to detect clonal disease, in cutaneous T-cell lymphomas, 354
 - to diagnose cutaneous T-cell lymphomas, 233-234
- Sporotrichosis, vs. cutaneous tuberculosis, in tropics, 651
- Squamous cell carcinoma, in Eastern Africa, 622
- Sri Lanka, psoriasis in, 813
- Steroid sulfatase, deficiency of, in recessive X-linked ichthyosis, 100
- Subacute cutaneous lupus erythematosus, laboratory diagnosis of, immunofluorescence in, 140
- Sunscreens, for lupus erythematosus, 202
- Superficial fungal infections, in tropics, 687-693
 - tinea capitis, 687-689
 - tinea corporis, 689-690
 - tinea pedis, 690
 - tinea versicolor, 690-692
- SureCell Herpes Test Kit, in laboratory diagnosis, of herpesviruses, 62-63
- Sweet's syndrome, clinical features of, 423
- Swimming pool granuloma, in tropics, 659-661
 - vs. cutaneous tuberculosis, 650-651
- Syphilis, in tropics, 742
 - clinical features of, 755-757
 - endemic, 742-743
 - treatment of, 762-763
- laboratory diagnosis of, 9-17
 - clinical stages in, 9-12
 - central nervous system syphilis, 11
 - congenital syphilis, 11
 - latent syphilis, 10
 - primary syphilis, 9-10
 - secondary syphilis, 10
 - syphilis and HIV infection, 11-12
 - tertiary syphilis, 10
 - darkfield examination and fluorescent antibody microscopy in, 12
 - serology in, 12-16
 - central nervous system syphilis, 15
 - congenital syphilis, 15
 - latent syphilis, 15
 - primary syphilis, 14
 - secondary syphilis, 14-15
 - syphilis and HIV infection, 15-16
- Takayasu's arteritis, vs. granulomatous slack skin, 387
- Tanzania, psoriasis in, 811
- Tar burns, industrial, 473-474
- Tay syndrome, laboratory diagnosis of, 102-103
- Tego, and allergic contact dermatitis, in dental profession, 528
- Temperature gradient gel electrophoresis, to detect monoclonal lymphoid cell populations, 346
- Tetracaine, and allergic contact dermatitis, in dental profession, 527
- 2,3,7,8-Tetrachlorodibenzo-p-dioxide, and occupational chloracne, 571-572, 574-575
- Thermal burns, industrial, 469-470
- Thermoplastic elastomers, in gloves, and occupational dermatoses. See *Gloves*.
- Thiacetazone, for tuberculosis, in Eastern Africa, 624
- Thymus bypass model, for cutaneous T-cell lymphomas, 305-310
 - definition of, 307
- Tinea capitis, in tropics, 687-689
- Tinea corporis, in tropics, 689-690
 - vs. leprosy, 640
- Tinea imbricata, in tropics, 689-690
- Tinea pedis, in tropics, 690
- Tinea versicolor, in Eastern Africa, 625
 - in tropics, 690-692
- Tinuvin P, and allergic contact dermatitis, in dental profession, 528
- Tissue repair, WHO plan for, in tropics, 616-617
- 4-Tolyl diethanolamine, and allergic contact dermatitis, in dental profession, 525
- Transfusions, blood, and AIDS, in tropics, 750
 - and Lyme borreliosis, in tropics, 677
- Transmission electron microscopy, in laboratory diagnosis, of inherited epidermolysis bullosa, 123-126, 128
- Treponema carateum*, in tropics, 742
- Treponema herrejonii*, in pinta, in tropics, 780-781
- Treponema pallidum*, in syphilis, in tropics, 742-743, 755-757
- Treponema pallidum* hemagglutination assay, of syphilis, 13
- Treponema pallidum* immobilization test, of syphilis, 13
- Treponema pertenue*, in tropics, 742
- Treponematoses, endemic, in tropics, 742-743
- Triamcinolone acetonide, for lupus erythematosus, 203
- Trichlorobenzene, and occupational chloracne, 571-573
- Tropical dermatology, AIDS. See *AIDS*.
- American mucocutaneous leishmaniasis. See *American mucocutaneous leishmaniasis*.
- cutaneous schistosomiasis. See *Cutaneous schistosomiasis*.
- cutaneous tuberculosis. See *Cutaneous tuberculosis*.
- deep fungal infections. See *Deep fungal infections*.
- filariasis. See *Filariasis*.
- fogo selvagem. See *Fogo selvagem*.
- genital ulcer disease. See *Genital ulcer disease*.
- genodermatoses. See *Genodermatoses*.
- in Eastern Africa. See *Eastern Africa*.
- leprosy. See *Leprosy*.
- Lyme borreliosis. See *Lyme borreliosis*.
- mycobacterial infections. See *Mycobacterial infections*.
- myiasis. See *Myiasis*.
- photodermatoses. See *Photodermatoses*.
- pigmentary disorders. See *Pigmentary disorders*.
- psoriasis. See *Psoriasis*.
- sexually transmitted diseases. See *Sexually transmitted diseases*.
- superficial fungal infections. See *Superficial fungal infections*.
- United Nations and governmental agencies in, 611-620
- World Health Organization, 611-619
 - the needs, 615
 - the organizations, 611-615
 - the plan, 615-619
 - classic dermatology, 617
 - climate and skin, 617
 - control of infection, 617
 - dermatitis, 617-618

- Tropical dermatology (*Continued*)
 disability, 615-616
 functions of skin in health, 615
 gender and skin disease, 618
 maldistribution of skin care, 618
 primary health care, 618-619
 privacy, 618
 wound healing and tissue repair, 616-617
- Tryptophan metabolism, disorders of, in tropics, 801
- Tuberculoid leprosy, in tropics, vs. cutaneous tuberculosis, 651
- Tuberculoid tuberculoid leprosy, in tropics, 632
 diagnosis of, 637
- Tuberculosis, cutaneous. *See Cutaneous tuberculosis.*
 in Eastern Africa, 624
 in tropics, genital manifestations of, 743
- Tuberculosis cutis orificialis, in tropics, 648
- Tuberculosis verrucosa cutis, in tropics, 648
- Tuberculous chancre, clinical features of, in tropics, 647
- Tuberosus sclerosis, in tropics, 793
- Tumor burden index, to stage cutaneous lymphomas, 215
- Tumor necrosis factors, in lymphoproliferative skin infiltrates, 284
- Typhus group infections, laboratory diagnosis of, 28
- Tyrosinase-positive albinism, in tropics, 791-792
- Tzanck smear preparation, in laboratory diagnosis, of herpesviruses, 54-55
- Uganda, psoriasis in, 811
- Ultrasonography, continuous wave Doppler, in laboratory diagnosis, of vascular disease, 175-177, 179-180, 181-183, 185
 duplex, in laboratory diagnosis, of vascular disease, 177
- Urethra, schistosomiasis of, in tropics, 716
- Urine antigen test, in laboratory diagnosis, of Lyme borreliosis, 21
- Urticaria, solar, in tropics, 799-800
- Urushiol, in poison ivy and oak dermatitis, 512-515
- UV absorbers, and allergic contact dermatitis, in dental profession, 528
- Varicella-zoster virus, laboratory diagnosis of. *See Herpesviruses.*
- Variegate porphyria, laboratory diagnosis of, 95
- Vascular disease. *See Arterial disease; Venous disease.*
- Vasculitides, laboratory diagnosis of. *See Connective tissue diseases.*
- Vasculitis, with lupus erythematosus, 204
- Venereal Disease Research Laboratory test, in laboratory diagnosis, of central nervous system syphilis, 15
 of syphilis, 13
- Venezuela, psoriasis in, 810
- Venous disease, laboratory diagnosis of, 175-177, 180-190
 continuous wave Doppler ultrasonography in, 175-177, 181-183, 185
 duplex ultrasonography in, 177
 plethysmography in, 177, 185-186, 189
- Verruga peruana, laboratory diagnosis of, 31-32
- Vinblastine, for AIDS-related Kaposi's sarcoma, 453
- Viral infections, in children, laboratory diagnosis of, 110-111
- Virologic tests, in laboratory diagnosis, of herpesviruses, 61-62
- Vitiligo, in tropics, 782-783
 vs. leprosy, 639
- von Recklinghausen's disease, in tropics, 793
- Warble flies, in myiasis, in tropics, 733
- Warts, in children, laboratory diagnosis of, 111
- Western blot analysis, in laboratory diagnosis, of HIV infection, 78
 of Lyme borreliosis, 21
- Wiskott-Aldrich syndrome, in children, laboratory diagnosis of, 114-115
- Woringer-Kolopp disease, early diagnosis of, 319, 321
- Workers' compensation, for occupational dermatoses, 583-589
 automatic benefits in, 584
 case histories of, 585-589
 compulsory insurance in, 584
 death benefits in, 585
 impairment vs. disability in, 585
 income protection in, 584
 liability without fault in, 583-584
 medical care provisions in, 584
 resolving disputes in, 585
- World Health Organization, in tropical dermatology. *See Tropical dermatology.*
- Wound healing, WHO plan for, in tropics, 616-617
- Wuchereria bancrofti*, in filariasis. *See Filariasis.*
- Xeroderma pigmentosum, in tropics, 792, 801
 laboratory diagnosis of, 94
- Xerosis, in children, laboratory diagnosis of, 112
- X-linked agammaglobulinemia, in children, laboratory diagnosis of, 116
- Xylocaine, and allergic contact dermatitis, in dental profession, 527
- Yaws, in Eastern Africa, 625-626
 in tropics, 742
- Zambia, psoriasis in, 812

